

### **R** Series



### Description

Alloy Thermal-Link / Alloy Thermal Cutoff (ATCO) is defined as a non-resettable protective device functioning one time only. It is widely used in electrical equipment. ATCO is mainly consist of fusible alloy, flux resin, case, sealant and lead wires. Normally, fusible alloy is jointed to the two lead wires. Under abnormal conditions, when the temp. reaches to the fusing temp. of ATCO, the fusible alloy melts and quickly retracts to the two lead wire ends with the aid of the flux resin and disconnects the circuit completely.

SETsafe | SETfuse Alloy Thermal-Link (ATCO) R series Rated Functioning Temp. from 76 °C to 221 °C, Rated Current: 15 A, safety certification Includes UL, cUL, TUV, PSE, CCC, and complies with RoHS and REACH.

### Features

- Non-Resettable
- High Accuracy of Functioning Temp.
- RoHS & REACH Compliant

### Applications

- Lamps
- Switched-Mode Power Supplies


Marking

- Home Electrical Appliances
- Transformers
- Motors
- Power Strips


### Customization

- Other Temp.
- The Length of Lead Wires
- Taping Packing Available
- Lead Wires can be Insulated
  - Tinned Copper Wires or CP Wires
  - Leads Forming Types

### Structure Diagrams



**Dimensions (mm)** 



d

 $1.20 \pm 0.05$ 

SET safe | SET fuse

**R** Series

## Thermal-Link (ATCO)-Alloy Type

### **Specifications**

		Model	Fusing Temp.	T <sub>h</sub>	T <sub>m</sub>	<i>I</i> r	<i>U</i> r	<i>I</i> n 8 / 20 μs (15 Times)	/ <sub>max</sub> 8 / 20 μs (1 Time)	<b>91</b> °	c <b>A7</b> ®	4		۲	RoHS REACH
			(°C)	(°C)	(°C)	(A)	(V)	(kA)	(kA)	UL	cUL	τυν	PSE	CCC	
		504	040 + 0	186	250	15	AC 250	7	14	•	•	•	0	•	•
	221	R31	218 ± 2	100	200	15	DC 60	7	14	0	0	•	0	•	•
		500	400 + 2	407	250	45	AC 250	7	14	0	0	•	0	•	•
	205	R32	199 ± 3	167	250	15	DC 60	7	14	0	0	•	0	•	•
	400	D10	155 ± 2	130	200	15	AC 250	6	12	0	0	•	•	•	•
°	160	R16	100 ± 2	130	200	15	DC 60	6	12	0	0	•	0	•	•
(1 <sub>f</sub> )	150	R7	145 ± 2	120	200	15	AC 250	6	12	0	0	•	•	•	•
	150		140 ± 2	120	200	10	DC 60	6	12	0	0	•	0	•	•
l me	145	R6	140 ± 2	115	200	15	AC 250	6	12	0	0	•	•	•	•
Ĕ	145	KU	140 ± 2		200		DC 60	6	12	0	0	•	0	•	•
Functioning Temp.	135	R5	130 ± 2	105	200	15	AC 250	6	12	•	•	•	•	•	•
ior	100	110					DC 60	6	12	0	0	•	0	•	•
nct	130	R4	125 ± 2	100	200	15	AC 250	6	12	0	0	•	•	•	•
μ							DC 60	6	12	0	0	•	0	•	•
Rated	125	R3	121 ± 2	95	200	15	AC 250	6	12	0	0	•	•	•	•
Rat							DC 60	6	12	0	0	•	0	•	•
_	115	R2	111 ± 2	85	200	15	AC 250	6	12	•	•	•	•	•	•
							DC 60	6	12	0	0	•	0	•	•
	102	R1	98 ± 3	72	200	15	AC 250	6	12	0	0	•	•	•	•
							DC 60	6	12	0	0	•	0	•	•
	86	R18	81 ± 2	51	200	15	AC 250	5	10	0	0	•	0	•	•
							DC 60	5	10	0	0	•	0	•	•
	76	R0	73 ± 2	43	200	15	AC 250	5	10	•	•	•	0	•	•
							DC 60	5	10	•	•	•	0	•	•

Note:

1: " $\bullet$ "Means certificated, " $\bigcirc$ "Means non-certificated, RoHS & REACH Compliant .

2: " \* "Customizable DC voltage.



Soldering

Position

SET safe SET fuse


### **Agency Information**

Institution	Standards	The File No. and certification No. obtained by SETsafe   SETfuse
<b>RI</b> ®	UL 60691	E214712
c <b>FL</b> ®	CAN-CSA-E60691	E214712
$\boldsymbol{\mathbb{A}}$	EN 60691	R50207621
PS E	J60691	JET2121-32001-2029、JET2121-32001-2030 JET2121-32001-2031
	GB 9816.1	2020980205000193

### Soldering

#### Hand-Soldering

- 1. Soldering should be carried out according to Table T-1.
- The thermal element of ATCO is fusible alloy with low melting point, which is jointed with ATCO lead wires. Improper soldering operation (too high soldering temp., too long soldering time, too short lead wire etc.) may transfer more heat to the thermal element and ATCO may open in advance.



- 4. When soldering, please do not pull / push or twist ATCO body or lead wires.
- After soldering, let it naturally cool for longer than 20 seconds. During cooling, never move the ATCO body or lead wires.

#### TABLE T-1 Hand-Soldering Time

Rated Functioning Temp.		Max. Allow	able Sol	dering Tin	ne for Differei	nt Lead V	Vire Lengt	h (Fig.T-1)		Max. Soldering Temp.
$(T_{\rm f})$	Lsnath	Time	)	L <sub>s</sub>	Time	•	L <sub>s</sub>	Tim	е	
	Length -	Tinned Copper Wire	CP Wire	Length	Tinned Copper Wire	CP Wire	Length	Tinned Copper Wire	CP Wire	-
(°C)	(mm)	(s)	(s)	(mm)	(s)	(s)	(mm)	(s)	(s)	(°C)
76 to 101	10	1 <sup>a</sup>	4	20	2	5	30	3	6	
102 to 115	10	1 <sup>a</sup>	4	20	2	5	30	3	6	1
116 to 135	10	1ª	4	20	3	6	30	5	8	400
136 to 150	10	3	6	20	5	8	30	5	8	1
151 to 221	10	4	7	20	6	9	30	7	10	1

Note:

a: Auxiliary Heat Sink Fixture is Required to Avoid ATCO Cutting off Unexpectedly.

ATCO Body

**FIGURE T-1** 


SET safe SET fuse

### Wave Soldering

The wave soldering parameters as Table T-2, for reference only, when ATCO is for practice use, you need to do some validation experiments. For example, using X-RAY to see the fusible alloy of ATCO whether damage after wave soldering.

### TABLE T-2 Wave Soldering Parameters Setting

Rated Functioning Temp.	Who	-		ng Temp. re is Different	Preheating Time (t <sub>1</sub> )	Max. Wave Soldering	Dwelling Time (t <sub>2</sub> )	Cooling Time (t <sub>3</sub> )
( <i>T</i> <sub>f</sub> )	L₅ Length	Preheating Temp.	L <sub>s</sub> Length	Preheating Temp.		Temp.		
(°C)	(mm)	(°C)	(mm)	(°C)	(s)	(°C)	(s)	(s)
76 to 130				Recommend	I Hand-Soldering	l	· · · · · · · · · · · · · · · · · · ·	
131 to 150	20	80	30	90	< 60	≤ 260	≤ 3	≤ 10
151 to 221	20	90	30	100	< 60	≤ 260	≤ 3	≤ 10




SET safe | SET fuse


**R** Series

## Thermal-Link (ATCO)-Alloy Type

### **Product Temp.-Time Curve (Reference)**

The Temp.-Time Curve of Thermal-Link in different temp. oil bath.






SET safe | SET fuse

**R** Series

## Thermal-Link (ATCO)-Alloy Type

### **Product Current-Time Curve (Reference)**

The Current-Time Curve shows functioning time at multi-times rated current at room temperature 25 ± 2 °C.






### **R** Series

### **Packaging Information**


#### Bulk

Item	PE Bag	PE Bag	Carton
Dimensions (mm)	135 × 85	190 × 180	440 × 300 × 260
Quantity (PCS)	50	300	12000
Gross Weight (kg)			16.0 ± 10%



#### Taping

Item	Scroll	Box	Carton
Dimensions (mm)	Φ 250 × 94	258 × 258 × 98	480 × 300 × 260
Quantity (PCS)	2000	2000	8000
Gross Weight (kg)		·	10.5 ± 10%



SET safe | SET fuse

**R** Series

## Part Numbering System

ATCO - R 2 - A N N A B - 001	
	Other Options
	Packing
	B Bulk
	T Taping
	Leads Forming
	A Straight Lead
	B Single Lead Bending
	C Leads Bending
	D Leads Kinking
	E Leads Bending and Kinking
	Color of Insulation Tube
	W White
	Y Yellow
	R Red
	K Black
	N None
	Insulation Tube Material
	T Teflon
	P Polyester
	N None
	Lead Wire Type
	A Tinned Copper Wire
	B Tinned Copper Plated Wire
	Rated Functioning Temp.
	2 115 °C, See Specifications
	Series
	R Series See Specifications
	Product Category
	ATCO Alloy Thermal-Link



**R** Series

## Glossary

Item	Description
тсо	Thermal-Link A non-resettable device incorporating a THERMAL ELEMENT which will open a circuit once only when exposed for a sufficient length of time to a temperature in excess of that for which it has been designed. — (GB 9816.1)
АТСО	Alloy Thermal-Link Alloy Type Thermal-Link, Alloy is the thermal element. — (GB 9816.1)
T <sub>f</sub>	Rated Functioning Temp. The temperature of the Alloy Thermal-Link which causes it to change the state of conductivity with a detection current up to 10 mA as the only load.
Ιf	— (GB 9816.1) Tolerance: 7 <sub>f</sub> °C (GB 9816.1, EN 60691, K60691). Tolerance: 7 <sub>f</sub> ± 7 °C (J60691).
Fusing Temp.	Fusing Temp. The temperature of the Alloy Thermal-Link which causes it to change its state of conductivity is measured with silicone oil bath in which the temperature is increased at the rate of 0.5 °C to 1 °C / minute, with a detection current up to 10 mA as the only load. — (GB 9816.1)
T <sub>h</sub>	Holding Temp. The Maximum temperature at which a Alloy Thermal-Link will not change its state of conductivity when conducting rated current for 168 hours. — (GB 9816.1)
T <sub>m</sub>	Maximum Temp. Limit The temperature of the Alloy Thermal-Link stated by the manufacturer, up to which the mechanical and electrical properties of the Alloy Thermal-Link having changed its state of conductivity, will not be impaired for a given time. — (GB 9816.1)
l <sub>r</sub>	Rated Current The current used to classify a Alloy Thermal-Link, which is the Maximum current that Alloy Thermal-Link allows to carry and is able to cut off the circuit safely. — (GB 9816.1)
U,	Rated Voltage The voltage used to classify a Alloy Thermal-Link, which is the Maximum voltage that Alloy Thermal-Link allows to carry and is able to cut off the circuit safely. — (GB 9816.1)
<i>I</i> n	Nominal Discharge Current Being able to withstand 15 peak currents of waveform 8/20 µs to test the product's durability of withstanding pulse current. — (UL 1449)
I <sub>max</sub>	Max. Discharge Current Being able to withstand 1 peak current of waveform 8/20 μs to test max. pulse current that the product can withstand. — (UL 1449)

SET safe | SET fuse

**R** Series



# ATTENTION

### Usage

- 1. When atmosphere pressure is from 80 kPa to 106 kPa, the related altitude shall be from 2000 meters to 500 meters.
- 2. Operating voltage less than rated voltage of ATCO, operating current less than rated current of ATCO.
- 3. Do not touch the ATCO body or lead wires directly when power is on, to avoid burn or electric shock.

### Replace

ATCO is a non-repairable product. For safety sake, it shall be replaced by an equivalent ATCO from the same manufacturer, and mounted in the same way.

### Storage

Do not store the ATCO at the high temp., high humidity or corrosive gas environment, avoid influencing the solder-ability of the lead wires, the product shall be used up within 1 year after receiving the goods.

### Installation

Make Sure the Temp. of Installation Position.

- 1. It is recommended that a dummy ATCO with inbuilt thermo-couple shall be used to determine the proper temp.
- 2. The terminal product should be tested to ensure that potential abnormal conditions do not cause ambient temp. to exceed the  $T_m$  of the ATCO.
- 3. Mount the ATCO at the location where temp. rises evenly.

Installation position of mechanical performance requirements.

- 1. Do not locate the ATCO in a place where severe vibration always occurs.
- 2. Ensure that the lead wire is long enough, and avoid actions such as press, tensile or twist.
- 3. The seal or body of ATCO must not be damaged, burned or over heated.



**R** Series

### **Mechanical Connection**

#### Riveting


- 1. Choose small resistivity riveting material and be riveted.
- 2. A flexible lead or lead with low resistance should be used to rivet the ATCO.
- 3. Contact resistance should be minimal, large contact resistance will lead to higher temp., ATCO Functioning in advance.

#### Crimping

- 1. Choose small resistivity crimping material and be crimped.
- 2. A flexible lead or lead with low resistance should be used to rivet the ATCO.
- 3. Contact resistance should be minimal, large contact resistance will lead to higher Temp., ATCO Functioning in advance.

### Lead Wire Forming

- 1. If lead wire has to be bent, please pay attention to the distance between body and bending point. Refer to Table T-3.
- 2. When bending leads, please use pincher or similar tools to fix the product as shown in Fig.T-2, to avoid damaging the product.
- 3. During forming and mounting, lead wire should not be cut, nicked, bent sharply, to avoid breaking the product.
- 4. Tangential forces on the leads must be avoided (i.e. pushing or pulling on the leads at angle to ATCO body) as such forces may damage the seal of ATCO.



**FIGURE T-2** 


#### TABLE T-3 Distance between Body and Bending Point

	d	(mm)	< 1.0	1.0 - 1.2	> 1.2
Circular lead	L <sub>b</sub>	(mm)	≥ 3	≥5	≥ 10

SET safe SET fuse

**R** Series

**Leads Forming Types** The below leads forming is for reference, more leads forming can be customized. Axial



Rated Functioning Temp. ( <i>T</i> , ) °C	150 145 139 136 135 133 130 125 123 120	V7 V6 V13 V9 V5 V8 V4 V3 O	H7 H6 H13 H9 H5 H8 H4 H3 () ()	B7 B6 B13 B9 B5 B8 B4 B3 B3 O	C7 C6 C13 C9 C5 C8 C4 C3 C3 C3 C3 C3 C3 C3 C3 C3 C3 C3 C3 C3	U7 U6 U5 U5 U4 U3 U3	R7 R6 0 R5 R4 R3 0	F7 F6 0 F8 F4 F3 0	K7 K6 K9 K5 K8 K4 K3 C	X7 X6 X9 X5 X8 X4 X3 0	Y7 Y6 Y9 % Y8 Y4 Y3 \$	S150 0 S136 0 0 S125 0 0 0 0 0 0 0 0 0 0 0 0 0	T150 0 T136 0 1 125 0 0 0 125 0 0	0 0 <b>P136</b> 0 0 0 0 0 0	00 00 00 00 00 00 00 00 00 00 00	N150 0 N136 0 N130 N125 0 0 0	G150 0 G136 0 G130 G125 0 0	KG7 KG6 KG9 KG5 KG8 KG4 KG3 O	XG7 XG6 XG9 XG5 XG8 XG4 XG3 C	SK150 SK145 SK135 SK135 SK130 SK125 O		SE150 SE145 O SE135 O SE125 O SE125 O	TK150 TK145 O TK135 TK130 TK125 O S	Model
Rateo	115 105 102 97 95 86 76	V2 · V1 V21 · V18 V0	H2 0 H1 H21 0 H18 H0	B2 0 B1 B21 0 B18 B0	C2 C1 C21 O C18 C0	U2 0 U1 0 U18 U0	R2 0 R1 0 R18 R0	F2 0 F1 0 F18 F0	K2 K1 C K18 K0	X2 X1 X1 X1 X18 X0	Y2 Y1 Y1 Y18 Y0	S115 S102 O O O O O	T115 0 T102 0 0 0 0	P115 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Q115 0 0 0 0 0 0 0 0 0	N115 N102 0 0 0 0 0 0	G115 O G102 O O O O O O O	KG2 KG1 C KG18 KG0	XG2 C XG1 C XG18 XG0	SK115 SK102 O O O O O O		SE115 SE102 O O O O O O O	TK115 CK102 C C C C C C C	
<b>I</b> r (A Rated Cu <b>U</b> r (VA Rated Vo	) Irrent AC)	1	2	3	5	10	15	1	2	3	5	10	15 16	20 250	25	30	40	2	3	10	10	10	15 16	$\rightarrow$

Radial Shape

### Thermal-Link (ATCO)-Alloy Type Feature & Model List Overview

Axial Shape

 $\frac{1}{3}$ 

Thermal-Link (ATCO)-Alloy Type

SET safe SET fuse R Series

Radial Shape (Screw Hole)

	4																					1	
	230	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	221	0	0		0	0	0	0	0		0	0	0	0	0	0	0		0	0	0	0	
	205	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200	0	0	0	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
0	187	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
S	160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ľ.	150	0	0	KM7	XM7	Y7	YM7	SM150	TM150	0	KM7	XM7	0	0	HU7	HR7	0	0	HC7	0	HL7	HW7	
<u> </u>	145	SY145	TY145	0	0	0	0	0	0	0	0	0	0	0	HU6	HR6	HS145	HP145	HC6	HN145	HL6	HW6	
du	139	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Tel	136	0	0	0	0	Y9	YM9	SM136	TM136	Q136	0	0	P136	Q136	0	0	HS136	HP136	0	HN136	0	0	
D	135	0	0	KM5	XM5	0	0	0	0	0	KM5	XM5	0	0	HU5	HR5	0	0	HC5	0	HL5	HW5	Model
Li	133	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	d
0	130	SY130		KM4	XM4	Y4	YM4	0	0	0	KM4	XM4	0	0	HU4	HR4	0	0		0	HL4	HW4	0
Rated Functioning Temp. ( <i>T</i> , )	125		TY125	0	0	0	0	0	0	0	KM3	XM3	P125	Q125	HU3	HR3		HP125	HC3	HN125	HL3	HW3	
.n	123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5	120		TY120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
te	115	SY115		0	0	0	0		TM115	Q115	0	0	P115	Q115	HU2	HR2	0	0	HC2	0	HL2	HW2	
Ra	105		TY105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	102	0	0	0	0	0	0	SM102		0	0	0	P102	Q102	HU1	HR1	0	0	HC1	0	HL1	HW1	
	97 95	0		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95 86	SY95	TY95	0	0	0	0	0	0	0	0	0	0	0	HU18	HR18	0	0	HC18	0	HL18		
	76		0	0	0	0	0	0	0	0	0	0	0	0	HUI0	HR10	0	0	HC18	0	HL10	HW18 HW0	
		í –							15											_			$\rightarrow$
r ( Rated C	Current	10	15	2	3	5	5	10	16	25	2	3	20	25	10	15	5	10	5	15	10 	15 	
U <sub>r</sub> (N Rated V		2	50				300				32	20	40	00		50	00		6	90	8	00	
Proc Struc		Cylin						Ę	Ú Ú	pe					( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	] ] Shape		Shape	Axial Shape	Axial Shape (Flat Electrode)	Axial	] ] ] Shape	

#### Thermal-Link (ATCO)-Alloy Type Feature & Model List Overview

**R** Series

SET safe SET fuse

Thermal-Link (ATCO)-Alloy Type

																						/	<b>\</b>
	230	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	221	0	0	0	0	0	V31	H31	0	B31		0	0	C31	0	0	0	0	0	U31	R31	0	
	205	0	0	0	0	0	V32	H32	0	B32	0	0	0	C32	0	0	0	0	0	U32	R32	0	
	200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	187	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Rated Functioning Temp. ( <i>T</i> , ) °C	160	0	0	0	0	0	V16	H16	0	B16	0	0	0	C16	0	0	0	0	0	U16	R16	0	
<u> </u>	150	V7	H7	B7	0	C7	0	0	0	0	0	0	0	0	0	0	0	0	0	U7	R7	0	
5	145	V6	H6	B6	0	C6	0	0	0	0	0	0	0	0	0	0	0	0	C6	U6	R6	0	
du	139	V13	H13	B13	0	C13	0	0	0	0	0	SF13	V13	0	0	0	C13	M13	0	0	0	CR13	
en	136	V9	H9	B9	0	C9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6	135	V5	H5	B5	0	C5	0	0	0	0	0	0	0	0	0	0	0	0	0	U5	R5	0	$\leq$
Ľ.	133	V8	H8	B8	0	C8	0	0	0	0	SF8	0	V8	0	0	0	0	0	0	0	0	0	Model
uo	130	V4	H4	B4	0	C4	0	0	0	0	SF4	0	V4	0	0	0	0	0	0	U4	R4	0	e
cti	125	V3		B3		C3	0	H3	0	0	0	0	0	0	0	0	0		0	U3	R3	0	
un	123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Ē	120	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
ed	115	V2	H2	B2	0	C2	0	0	0	0	SF2	0	V2	0	0	C2	0	0	0	U2	R2	0	
Rat	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	102	V1	H1	B1	C1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	U1	R1	0	
	97	V21	H21	B21	C21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	86	V18	H18	B18	C18	0	0	0	V18	0	0	0	0	0	C18	0	0	0	0	U18	R18	0	
	76	) VO	H0	B0	C0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	U0	R0	0	$\rightarrow$
/r Rated	(A) Current	1	2	3	5	7	1	2	2.5	3	3	5	4	5	6	8	8.5	9	10	10	15	15	
Ur (V	VDC) Voltage			50										6	0								
Prod Struc	duct cture										) ( A	xial Shap	Dt										

#### Thermal-Link (ATCO)-Alloy Type Feature & Model List Overview

Thermal-Link (ATCO)-Alloy Type

SET safe SET fuse

**R** Series

																		1	
	230	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	221	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	205	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	200	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	187	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
°	160	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
۲. )	150	0	0	0	0	0	0	S150	T150	0	0	SD150	TD150	PD150	QD150	HS150	HP150	HN150	Model
9	145	0	0	0	0	F6	X6	0	0	0	0	0	0	0	0	0	0	0	
Rated Functioning Temp. ( <i>T</i> , ) °C	139	0	0	0	0	F13	0	0	0	0	0	0	0	0	0	0	0	0	
	136	0	0	0	0	0	X9	S136	T136	P136	Q136	SD136	TD136	PD136	QD136	HS136	HP136	HN136	
	135	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	133	0	0	0	0	F8	0	0	0	0	0	0	0	0	0	0	0	0	
	130	0	0	0	0	F4	0	0	0	0	0	SD130	TD130	PD130	QD130	0	0	0	e
	125	KG3	XG3	K3	X3	0	0	S125	T125	P125	Q125	SD125	TD125	PD125	QD125	HS125	HP125	HN125	
	123	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	120	0	0	0	0	0	0		0	0	0	0	0	0	0	0	0	0	
	115	KG2	XG2	K2	X2	F2	0	S115	T115	P115	Q115	SD115	TD115	PD115	QD115	0	0	0	
	105	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	102	KG1	XG1	K1	X1	F1	0	S102	T102	P102	Q102	SD102	TD102	PD102	QD102	0	0	0	
	97	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	95	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	86	KG18	XG18	K18	X18	F18	0	0	0	0	0	0	0	0	0	0	0	0	
	76	) 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	$\rightarrow$
r (A) Rated Current		2	3	2	3	3	4	10	15 16	20	25	10	15 16	20	25	5	10	15	
U <sub>r</sub> (VDC) Rated Voltage		60						1	100		120	125				200			
Product Structure		Radial Shape (Screw Hole)     Radial Shape											Axial Shape (Flat Electrode)						

#### Thermal-Link (ATCO)-Alloy Type Feature & Model List Overview

**R** Series

SET safe SET fuse