






#### **Description**


The Direct Current Thermal-Link Alloy Type (DC-ATCO) is defined as a non-resettable protective device functioning only once. It is widely used for over-temperature protection of electrical equipment and electric vehicles. The DC-ATCO primarily consists of Case, Flux Resin, a low melting point Thermal Element, Electrode and Lnner shell. Normally, the Thermal Element is joined to the two lead wires. When the temperature reaches the fusing temperature of the Direct Current Thermal-Link (Alloy Type), the Thermal Element melts and quickly retracts to the two lead wire ends with the aid of the flux resin, disconnecting the circuit completely.

The SETsafe | SETfuse Direct Current Thermal-Link (Alloy Type) is classified into Axial and Radial shapes, with a Rated Functioning Temperature ranging from 205 °C to 230 °C, Rated Current: 50 A, 55 A, 80 A, Rated Voltage: 60 VDC, 49 VDC, 48 VDC, 24 VDC. It is also RoHS and REACH compliant.


### Marking



#### **Structure Diagram**



#### **Product Schematic**



#### **Features**

- High Accuracy of Functioning Temp.
- Non-Resettable
- RoHS & REACH Compliant

### **Applications**

- Steam mop
- ABS
- Motors


#### Customization

• Rated Functioning Temp.

**ADNxxxB Series** 


### **Part Number System**

#### ADN230B - N D Z





### **Dimensions (Unit: mm)**



L	L <sub>1</sub>	D	d
6.5 ± 0.3	26.0 ± 0.5	Φ7.7 ± 0.2	Ф1.8 ± 0.1

### **Specifications**

( <i>T</i> <sub>f</sub> ) °C		Model	I <sub>r</sub>	<b>U</b> r	Rated Functioning Temp.	T <sub>h</sub>	<b>T</b> <sub>m</sub>	RoHS REACH
p. (			(A)	DC (V)	(°C)	(°C)	(°C)	
y Temp.		ADN230B-NEZ	50	60	230 ± 10	160	290	•
Functioning	230	ADN230B-NDZ	50	49	230 ± 10	170	290	•
ıncti		ADN230B-PDZ	55	48	230 ± 10	170	290	•
		ADN230B-QBZ	80	24	230 ± 15	160	290	•
Rated	221	ADN221B-NDZ	50	48	221 ± 10	160	290	•

#### Note:

1. RoHS & REACH Comply.


#### **Temp.-Time Curve**

The functioning temperature time curve of Alloy Thermal-Link in different Temp. oil bath (For reference only).

## Come as soon as possible

#### **Current-Time Curve**

This is an illustrated curve, describing the opening time at Multi-times rated current in the condition of the room Temp. 25 °C (For reference only).






### **ADNxxxB Series**

### **Packaging Information**

Item	PE Bag	Вох	Carton
Dimensions (mm)	138 x 86	222 x 100 x 80	314 x 239 x 100
Quantity (PCS)	100	600	1800
Gross Weight (kg)			3 ± 10%





### **ADNxxxB Series**

### Glossarv

Item	Description
DC-ATCO	DC-Alloy Thermal-Link DC-Alloy type Thermal-Link, Alloy is thermal element.
$T_{\mathrm{f}}$	Rated Functioning Temp.  The temperature of the Thermal-Link which causes it to change the state of conductivity with a detection current up to 10 mA as the only load.  Tolerance: $T_f$ (0 / -10) °C (GB 9816, EN 60691, K60691).  Tolerance: $T_f \pm 7$ °C (J60691).
Fusing Temp.	Fusing Temp.  The temperature of the Alloy Thermal-Link which causes it to change its state of conductivity is measured with silicone oil bath in which the temperature is increased at the rate of 0.5 °C to 1 °C / minute, with a detection current up to 10 mA as the only load.
$ au_{ m h}$	Holding Temp.  The Maximum temperature at which a Thermal-Link will not change its state of conductivity when conducting rated current for 168 hours.
$ au_{ m m}$	Maximum Temp. Limit  The temperature of the Thermal-Link stated by the manufacturer, up to which the mechanical and electrical properties of the Thermal-Link having changed its state of conductivity, will not be impaired for a given time.
<b>I</b> <sub>min</sub>	Minimum Breaking Current  The minimum current that Fuse requires after the Alloy of Thermal-Link opens in the circuit.
I <sub>r</sub>	Rated Current  The current used to classify a Thermal-Link, which is the maximum current that Thermal-Link allows to carry and is able to cut off the circuit safely.
U <sub>r</sub>	Rated Voltage  The voltage used to classify a Thermal-Link, which is the maximum voltage that Thermal-link allows to carry and is able to cut off the circuit safely.



## **Usage**

- 1. When atmosphere pressure is from 80 kPa to 106 kPa, the related altitude shall be from -500 m to 2000 m.
- 2. Operating voltage less than rated voltage of DC-ATCO, operating current less than rated current of DC-ATCO.
- 3. Do not touch the DC-ATCO body or lead wires directly when power is on, to avoid burn or electric shock.

### Replacement

DC-ATCO is a non-repairable product. For safety sake, it shall be replaced by an equivalent DC-ATCO from the same manufacturer, and mounted in the same way.

#### **Storage**

Do not store the DC-ATCO at the high temp., high humidity or corrosive gas environment. The product shall be stored at 25 ± 5 °C and ≤ 70% RH, avoid direct sunlight and shall use them up within 1 year after receiving the goods.

ADNxxxB Series

#### Installation

Make Sure the Temp. of Installation Position

- 1. It is recommended that a dummy DC-ATCO with inbuilt thermo-couple shall be used to determine the proper temp.
- 2. he terminal product should be tested to ensure that potential abnormal conditions do not cause ambient temp. to exceed the  $T_{\rm m}$  of the DC-ATCO.
- 3. Mount the DC-ATCO at the location where temp. rises evenly.

Installation position of mechanical performance requirements

- 1. Ensure that the lead wire is long enough, and avoid actions such as press, tensile or twist.
- 2. The seal or body of DC-ATCO must not be damaged, burned or over heated.

#### **Mechanical Connection**

#### Riveting

- 1. Choose small resistivity riveting material and be riveted.
- 2. A flexible lead or lead with low resistance should be used to rivet the DC-ATCO.
- 3. Contact resistance should be minimal, Large contact resistance will lead to higher temp., DC-ATCO Functioning in advance.

**ADNxxxB Series** 

e k	850		600		50	00	45	50 	400	
L L										
nt	15	30	25	15	30	15	15	10	20	
76	0	0	0	0	0	0	0	0	0	
86	0				ARL86-LRA^		TG86C-HQZ^	RQF86-FQS^		
93	0									
97	0	0	0	0	0	0	0	0	0	
										1
	100									
										1
										4
33										MODE
35										3
		ASL136A-LSF <sup>^</sup>	RSK136A-KSS <sup>^</sup>	RVH136-HSF <sup>^</sup>	ARL136-LRA^	RPK136-HRZ <sup>^</sup>	TG136C-HQZ <sup>^</sup>	RQF136-FQS^	TG136C-JPZ <sup>^</sup>	
39	0									
45	0									
<b>50</b> TG	GH150-HVS^	ASL150A-LSF^	RSK150A-KSS <sup>^</sup>	RVH150-HSF <sup>^</sup>	ARL150-LRA^	RPK150-HRZ <sup>^</sup>	TG150C-HQZ <sup>^</sup>	RQF150-FQS^	TG150C-JPZ^	
60	0									
<b>87</b> TG	GH187-HVS^	ASL187A-LSF^	RSK187A-KSS <sup>^</sup>	RVH187-HSF <sup>^</sup>	ARL187-LRA^			RQF187-FQS^		1
200	0									
205	0									
	000   TO   TO   TO   TO   TO   TO   TO	21	21	21	21	21	21	21	21	21

Rated Functioning Temp. ( $T_{ m r}$ ) $^{\circ}$ C	139 136 135 133 130 125 123 120 115	TG136C-JSZ*  TG125C-JSZ*  TG115C-JSZ*			O O O O O O O O O O O O O O O O O O O	HN136^*  HN125^*	HP136^*  HP125^*	HS136^*  HS125^*	ALP125-PLZ^	QD136^ QD130^ QD125^ QD115^	PD136^	TD136^  TD130^ TD125^  TD115^	SD136^ SD130^ SD125^ SD115^
	102 97 93 86 76	TG102C-JSZ*	TG86C-HSZ*	RPF86-FPF^	0	0 0 0	0 0 0	0 0 0	ALP102-PLZ^	QD102 <sup>A</sup>	PD102^	TD102^	SD102^
Rated Cu  U <sub>r</sub> (VD  Rated Vo	C)^ oltage	20		400	15	200		5	180	20	16		25
Prod Struct	uct	60 C	 ¬			690	50	00					

Q136^* Q115^* Q115^*	Q136*  Q115*	Q136*  Q115*	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	TB136-UHZ^ TB130-UHZ^	TB136-UJZ* TB125-UJZ*	0 0 0 0 0 0 TS136-RHZ^	TS136-RJZ*	S150^ S136^	C T150^ C T136^ C C C C C C C C C C C C C C C C C C C	ADN230B-NEZ	Model
Q136^*  Q125^*  Q115^*	Q136*  Q115*	Q136*  Q115*	P125^*	O O O O O O O O O O O O O O O O O O O	O O O O O O O O O O O O O O O O O O O	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB130-UJZ*	C TS136-RHZ^	0 0 0 0 0 TS136-RJZ*	S150^ S136^ CONTROL CO	C T150^ C T136^ C C C C C C C C C C C C C C C C C C C		Mode
Q125^* Q115^*	Q136*  Q1315*	Q136*  Q1315*	P136^*  P125^*	O O O O O O O O O O O O O O O O O O O	P136*	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB136-UJZ*	C TS136-RHZ^	0 0 0 0 TS136-RJZ*	S150^ S136^ O	T150^  T136^  O		Mode
Q125^* Q115^*	Q136*  Q136*  Q136*  Q136*	Q136*  Q136*  Q136*  Q136*	P136^*  P125^*	P136*	P136*	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB136-UJZ*	C TS136-RHZ^	0 0 0 TS136-RJZ*	\$150^ \$150^ \$136^ \$	CT150^ CT136^ CT136^		Mode
Q136^* Q125^* Q115^*	Q136*  Q136*  Q136*  Q136*	Q136*  Q136*  Q136*  Q136*	P136^*  P125^*  O	P136*	P136*	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB136-UJZ*	C TS136-RHZ^	C TS136-RJZ*	\$150^ \$150^ \$136^ \$\text{\$\circ}\$	T150^  T136^  T136^		Mode
Q136^* Q125^* Q115^*	Q136*  Q136*  Q136*  Q115*	Q136*  Q136*  Q136*  Q136*	P136^*  P125^*  O	P136*  O O O O O O O O O O O O O O O O O O	P136*  O O O O O O O O O O O O O O O O O O	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB130-UJZ*	**Comparison of the comparison	○ ○ TS136-RJZ* ○	\$150^	T150^		Mode
Q136^*  Q125^*  Q115^*	Q136*  Q136*  Q136*  Q115*	Q136*  Q136*  Q136*  Q115*	P136^*  P125^*  O	P136*	P136*	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB136-UJZ*	CTS136-RHZ^	C TS136-RJZ*	S136^ •	0 T136^		Mode
Q136^*  Q125^*  Q115^*	Q136*  O  Q115*	Q136*  O  Q115*	P136^*  P125^*  O	P136*  O O O	P136*  O O O	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB136-UJZ*	○ TS136-RHZ^ ○ ○	OTS136-RJZ*	S136^	O T136^		Mode
Q136^*	Q136*	Q136*	P136^*	P136*	P136*	TB136-UHZ^  TB130-UHZ^ TB125-UHZ^	TB136-UJZ*  TB130-UJZ*	TS136-RHZ^	TS136-RJZ*	\$136^	T136^		Mode
Q125^* Q115^*	0 0 0 0 0 0 Q115*	0 0 0 0 0 0 Q115*	P125^*			TB130-UHZ^ TB125-UHZ^	O TB130-UJZ*						Mode
Q125^* Q115^*	0 0 0 0 Q115*	O O O O O O O O O O O O O O O O O O O	P125^*			TB130-UHZ^ TB125-UHZ^	O TB130-UJZ*						Mode
Q125^* O Q115^*	O O O O O O O O O O O O O O O O O O O	O O Q115*	P125^*			TB130-UHZ^ TB125-UHZ^	TB130-UJZ*						اق
Q125^*  O  Q115^*	O O Q115*	O O Q115*	P125^*			TB125-UHZ^							
O Q115^*	Q115*	Q115*					TB125-UJZ*	TO LOC DILIZA	TC125 D 17*				9
Q115^*	Q115*	Q115*						TS125-RHZ <sup>^</sup>					
Q115^*	Q115*	Q115*											
			P115^*										
				P115*	P115*	TB115-UHZ^	TB115-UJZ*	TS115-RHZ <sup>^</sup>	TS115-RJZ*	S115^	T115^		
Q102^*			P102^*	P102*	P102*	TB102-UHZ <sup>^</sup>	TB102-UJZ*	TS102-RHZ <sup>^</sup>	TS102-RJZ*	S102 <sup>^</sup>	T102^		
0	0	0	0	0	0	0	0	0	0	0	15	0	$\mapsto$
	25		L	20 		20	00	10	0	10	16	50	
		12	20			100	0	100	· · · · · · · · · · · · · · · · · · ·	10	00	60	
400	300	250	400	300	250	0	125	0	125			0	
							· · · · · · · · · · · · · · · · · · ·		•				
							Radial Shap						

rodu ructı									<b>□</b>			<b></b> ->⊏										Ž ~		
r (VAC ed Volt	;)*	250	0	250			0			250		0		2	50	0	2	50	125		0		250	
(VDC	;)^												60											
r (A)		1	5	1	0	9	8.5	8	6	,	5		4		3	2.5	2	1	1	4	;	3	2	1
	76	R0^*		U0^*					0							0					0	X0*	K0*	F0*
	86	R18^*		U18^*					C18^							V18^					F18^	X18^*	K18^*	F18*
	97 93	0																						
	102	R1^*		U1^*																	F1^	X1^*	K1^*	F1*
	105	0		0																	0	0	0	0
	115	R2^*		U2^*				C2^				V2^		SF2 <sup>^</sup>							F2^	X2^*	K2^*	F2*
	120	0		0				0				0		0							0	0	0	0
	123	0																						
	125	R3^*		U3^*													H3^*					X3^*	K3^*	F3*
	130	R4^*		U4^*								V4^		SF4^							F4^	X4*	K4*	F4*
	133	0										V8^		SF8^							F8^	X8*	K8*	F8*
)	135	R5^*		U5^*																		X5*	K5*	
	136	0											X9^							K9^		X9*	K9*	
	139	0	CR13^			M13^	C13^				SF13^	V13^									F13^			F13*
•	145	R6^*		U6^*	C6^								X6^							K6^	F6^	X6*	K6*	F6*
•	150	R7^*		U7^*						0							0	0				X7*	K7*	F7*
	160	R16^*		U16^*						C16^*							H16^*	V16^*				X16^*	K16^*	F16*
	187	0																				X17^*	K17^*	
	200	0		032						0					0		П32.	0	0			0	0	
	221 205	R31^* R32^*		U31^*						C31^*					B31^* B32^*		H31^*	V31^* V32^*	V31* V32*			X31* X32*	K31* K32*	
	230	0		0						0					0		0	0	0			0	0	

221 XG3 205 XG3 200 0 187 0 160 XG1 150 XG 145 XG6 139 0 136 XG6 135 XG6 137 XG6 138 XG6 139 XG6 130 XG6 105 0 102 XG1 105 0 102 XG1 105 0 106 XG6 107 XG6 108 XG6 108 XG6 109 XG6 100	CG31* CG32* CG16* CG16* CG66* CG9* CG9* CG9* CG8* CG3** CG3** CG3** CG3**	KG31* KG32*  KG16* KG7* KG6*  KG9* KG5* KG8* KG4* KG3^*	C7^ C6^ C13^ C9^ C5^ C8^	C7* C6* C13* C9* C5*	C31* C33*  O	B16* B7^* B6^* B13^*	B31* B32*	0 0 0 0	H31* H32*	0 0 0 0 0	0 0 0	ADN230B-NDZ^	ADN230B-PDZ^	ADN205B-NDZ^	ADN230B-QBZ^	
221 XG3 205 XG3 200 0 187 0 160 XG1 150 XG 145 XG6 139 136 XG6 135 XG6 137 XG7 130 XG7 131 XG7 130 XG7 145 XG8 130 XG7 130 XG7 145 XG8 145 XG8 145 XG8 145 XG8 146 XG8 147 XG8 148 XG8 148 XG8 150 XG8	(G32*  (G16*  XG7*  XG6*  XG9*  XG5*  XG8*  XG4*  (G3^*	KG32*  CKG16* KG7* KG6*  CKG9* KG5* KG5* KG8* KG4*	C7^ C6^ C13^ C9^ C5^	C7* C6* C13* C9*	C33*	B16* B7^* B6^*	B32*		H32*			0 0			0	
200 0 187 160 XG1 150 XG2 145 XG3 145 XG4 139 136 XG3 130 XG4 130 XG4 130 125 XG3 123 125 XG3 125 XG3 127 128 129 129 115 XG2 129 115 XG2 105 105 0 102 XG1 97 93 86 XG1 76 XG  VG1 VG1 VG1 VG1 VG1 VG1 VG1 VG1 VG1 V	CG16* XG7* XG6* CXG9* XG9* XG5* XG8* XG4* XG4*	© KG16* KG7* KG6* © KG9* KG5* KG8* KG4*	C7^ C6^ C13^ C9^ C5^	C7* C6* C13* C9*		B16* B7^* B6^*						0				1
187	CG16*  XG7*  XG6*  XG9*  XG5*  XG8*  XG4*  XG3^*	KG16* KG7* KG6*  KG9* KG5* KG8* KG4*	C7^ C6^ C13^ C9^ C5^	C7* C6* C13* C9*		B16* B7^* B6^*						_				l .
160 XG1 150 XG 150 XG 145 XG 145 XG 139 SG 135 XG3 135 XG3 130 XG 130 XG 125 XG3 125 XG3 120 SG 127 SG 102 XG1 105 SG 102 XG1 107 SG 108 SG 109 SG 100 XG 10	(G16* XG7* XG6* XG9* XG5* XG8* XG4* (G3^*	KG16* KG7* KG6* KG9* KG5* KG8* KG4*	C7^ C6^ C13^ C9^ C5^	C7* C6* C13* C9*		B16* B7^* B6^*						0				
97 93 86 76 XGI 76 XGI  Ir (A) Rated Current Ur (VDC)^ Rated Voltage Ur (VAC)*	XG7* XG6*  XG9* XG5* XG8* XG4* XG3^*	KG7* KG6*  KG9* KG5* KG8* KG4*	C7^ C6^ C13^ C9^ C5^	C7* C6* C13* C9*		B7^* B6^*										1
97 93 86 76 XGI 76 XGI  Ir (A) Rated Current Ur (VDC)^ Rated Voltage Ur (VAC)*	XG6*  XG9*  XG5*  XG8*  XG4*  KG3^*	KG6*  KG9*  KG5*  KG8*  KG4*	C6^ C13^ C9^ C5^	C6* C13* C9*		B6^*		H7^*				0				
97 93 86 76 XGI 76 XGI  Ir (A) Rated Current Ur (VDC)^ Rated Voltage Ur (VAC)*	XG9* XG5* XG8* XG4* KG3^*	KG9* KG5* KG8* KG4*	C13^ C9^ C5^	C13* C9*						V7^*						
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*	XG9* XG5* XG8* XG4* KG3^*	KG9* KG5* KG8* KG4*	C9^ C5^	C9*		B13^*		H6^*		V6^*						
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*	XG5* XG8* XG4* KG3^*	KG5* KG8* KG4*	C5^			5.0		H13^*		V13^*						
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*	XG8* XG4* KG3^*	KG8* KG4*		C5*		B9^*		H9^*		V9^*						
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*	XG4* KG3^*	KG4*	C8^			B5^*		H5^*		V5^*		0				3
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*	KG3^*			C8*		B8^*		H8^*		V8^*						Model
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*		KG3^*	C4^	C4*		B4^*		H4^*		V4^*						<u>0</u>
97 93 86 76 XGI 76 XGI  Ir (A) Rated Current Ur (VDC)^ Rated Voltage Ur (VAC)*			C3^	C3*		B3^*				V3^*						
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*		0														
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*		0														
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*	KG2^*	KG2^*	C2^	C2*		B2^*		H2^*		V2^*		0				
97 93 86 XG16 76 XG1  Ir (A) Rated Current Ur (VDC)^A Rated Voltage Ur (VAC)*		0														
93 86 76 XG1 76 XG1  76 XG1  1, (A) Rated Current 3 Ur, (VDC)^ Rated Voltage Ur, (VAC)*	KG1^*	KG1^*		C1^*	C1*	B1^*	B1*	H1^*	H1*	V1^*	V1*	0				
XG1: 76 XG1: 7		0			C21^*		B21^*		H21^*		V21^*	0				
76 XGI  Ir (A) Rated Current  U <sub>r</sub> (VDC)^ Rated Voltage  U <sub>r</sub> (VAC)*		0										0				
I <sub>r</sub> (A) Rated Current U <sub>r</sub> (VDC) <sup>Λ</sup> Rated Voltage U <sub>r</sub> (VAC)*	G18^*	KG18^*		C18^*	C18*	B18^*	B18*	H18^*	H18*	V18^*	V18*	0				
Rated Current  Ur(VDC)^ Rated Voltage  Ur(VAC)*	XG0*	KG0*	0	C0*	0	B0^*	B0*	H0^*	H0*	V0^*	V0*	0	0	0	0	<b> </b>
Rated Voltage Ur (VAC)*	3	2	7		5	3		:	2		I	50	55	50	80	1
<b>U</b> <sub>r</sub> (VAC)* Rated Voltage	6	0					50					49	4	l8	24	
	25	50	0	250	125	250	125	250	125	250	125		(	0		
Product Structure					C	<b>⊐</b> ⊱–(		D			Axial Sha					